

Tuesday, August 23, 2016 11:17:25 AM

Page 1

[illegible]

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐				
OTHER : _____					

Work Order ID 150057

Tuesday, August 23, 2016 11:17:25 AM

150057

Page 2

Item ID: D3552-23

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Door Prop

Start Date: 8/26/2016 Start Qty: 6.00

6

Cust Item ID:

Required Date: 9/9/2016 Req'd Qty: 6.00

6

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	Identify as per dwg & Stock Location: <u>57364</u>	0.00							
130									
Packaging	Memo	0.01				6	DAS 6 9-89		AUG 26 2016
Packaging									
140	QC21- Final Inspection - Work Order Release	0.00							AUG 29 2016
140									
QC	Memo	0.10							
Quality Control									

DAS
21
9-89

AUG 26 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
							Completed By		
							Lead hand / Supervisor Approval Verification		
							QC / QA Coordinator Approval		

Root Cause				FAULT CATEGORY														
Environment	☐	☐	No Re-verification	☐	☐	☐	Pressure/Forced	☐	☐	☐	Temperature/Cure	☐	☐	☐	Power Loss/Surge	☐	☐	Positioned Wrong
Design	☐	☐	Operator	☐	☐	☐	Bending	☐	☐	☐	Set-up	☐	☐	☐	Folio/Program	☐	☐	Outside Dimensions
Doc/Data	☐	☐	Offset/Setup	☐	☐	☐	Centre Not Concentric	☐	☐	☐	BOM/Route	☐	☐	☐	Grain	☐	☐	Over/Under tolerance
Equip/Tooling	☐	☐	Supplier	☐	☐	☐	Cracks	☐	☐	☐	Broken/Damage/Defect	☐	☐	☐	Weld	☐	☐	Part Incorrect
Handling/Pre	☐	☐	Training	☐	☐	☐	Crimp/Kink/Ripple/Wave	☐	☐	☐	Inspection Incomplete/Unqualified	☐	☐	☐	Wrong Stock Pulled	☐	☐	Part Lost/Missing
Material	☐	☐	Use for Testing	☐	☐	☐	Cuffs	☐	☐	☐	Contamination	☐	☐	☐	Out of Sequence	☐	☐	Part Moved
Internal Transport	☐	☐	Poor Information	☐	☐	☐	Crushing	☐	☐	☐	Countersink	☐	☐	☐	Off-set	☐	☐	Drawing
Tribal Knowledge	☐	☐	Rushing	☐	☐	☐	Heat Treat	☐	☐	☐	Cut Too Short	☐	☐	☐	Mislabeled	☐	☐	Finish
LOA	☐	☐	Product Improvement	☐	☐	☐	Wave/Twist in Tube	☐	☐	☐	Instructions Incomplete/Unclear	☐	☐	☐	Fit/Function	☐	☐	Misread
Substation	☐	☐	Process Improvement	☐	☐	☐	Marks/Chatter	☐	☐	☐	Drill Holes	☐	☐	☐	Misaligned/off center	☐	☐	Turning Sequence
Past Expiry Date	☐	☐	Manufacturing Process	☐	☐	☐	OTHER : _____											
Misidentified	☐	☐	Past Due	☐	☐	☐												

Picklist Print

Tuesday, August 23, 2016 11:17:29 AM

Work Order ID: 150057

150057

Parent Item: D3552-23

D3552-23

Parent Item Name: Door Prop

Start Date: 8/26/2016

Required Date: 9/9/2016

Start Qty: 6.00

Required Qty: 6.00

Comments: IPP Rev:A 11.04.07 new issue DD verf:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
B6-190-475-070N		Purchased			No		Each	0.0000		6			
B6-190-475-070N										**			
Door Prop													

AUG 25 2016

DAS
6
9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	

Root Cause			FAULT CATEGORY							
Environment	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong
Design	☐	Operator	☐	Bending	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions
Doc/Data	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance
Equip/Tooling	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect
Handling/Pre	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing
Material	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐	Out of Sequence	☐	Part Moved
Internal Transport	☐	Poor Information	☐	Crushing	☐	Countersink	☐	Off-set	☐	Drawing
Tribal Knowledge	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐	Mislabeled	☐	Finish
LOA	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread
Substation	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence
Past Expiry Date	☐	Manufacturing Process	OTHER : _____							
Misidentified	☐	Past Due								

SPECIFICATION CONTROL DRAWING



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 150057 MJS


16-08-23

RELEASED
2015-08-04
ECN 15-609

L	ADD P/N D3552-29	VS	15.04.13
K	ADD "X" TO LS TECHNOLOGIES P/N's TO DESIGNATE "EXTRA DAMPING" FOR D3552-15/-17/-19/-25/-27. REASON: PART2-209.	MB	12.07.16
J	ADD P/N D3552-25/-27. REMOVE ALTERNATE PART NUMBER FOR -15, -17 AND -19. STROKE FOR -15, -17 AND -19 WAS 139/5.06 NOW 154/6.06. EXTENDED LENGTH FOR -15, -17 AND -19 WAS 388/15.2 NOW 387/15.2.	AP	11.12.07
I	ADD P/N D3552-23	RF	11.10.11
H	ADD P/N D3552-21	DC	11.03.10
G	FOR -15, FORCE: 300/67.4 WAS 400/89.9, SUPPLIER P/N B8-154-387-300N WAS B8-154-387-400N; FOR -17, STROKE: 139/5.47 WAS 160/6.30, EXT LG: 388/15.2 WAS 407/16.0, SUPPLIER P/N B8-154-387-156N WAS B8-167-408-156N	JPH	10.11.01
F	ADD P/N D3552-15/-17/-19 AND ALTERNATE SUPPLIER	JPH	10.07.27
E	ADD P/N D3552-13 ZN B8-1, A8-1, D6-1, CHANGE NAME FROM "GAS SPRING" TO "DOOR PROP" THROUGH OUT DWG	HS	10.02.03
D	ADD P/N D3552-101 ZN D6-1, C7-1, C1-1 AND D3552-103 ZN D1-1 AND C2-1 AND ZN B8-1; ADD NOTE REGARDING D3552-101 AND D3552-103 COMPATIBILITY ZN A8-1	HS	09.04.02
C	ADD D3552-11 AND CONVERSIONS FOR INSPECTION; UPDATE P/N FOR D3552-7	LE	07.06.01
B	ADD D3552-7/-9; UPDATE DESC. D3552-1/-3/-5	LE	06.10.24
A	NEW ISSUE	LE	06.09.15
REV.	DESCRIPTION	BY	DATE

APPROVED

DESIGN	VS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	VS		
CHECKED	AK	DRAWING NO.	REV. L
MFG. APPR.	DD	D3552	SHEET 1 OF 2
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	DOOR PROP	NTS
DATE	15.04.13	COPYRIGHT © 2006 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	



DART PART NUMBER	DESCRIPTION	STROKE (mm/in)	EXTENDED LENGTH (mm/in)	FORCE (N/lb)	END FITTING	MATERIAL	SUPPLIER	SUPPLIER PART NUMBER OR MODEL NUMBER
D3552-1	DOOR PROP	220/8.66	530/20.6	70/15.7	10mm SS BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	C8-220-530-070N
D3552-3	DOOR PROP	200/7.87	490/19.3	200/45.0	10mm SS BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	C8-200-490-200N
D3552-5	DOOR PROP	175/6.89	430/16.9	150/33.7	10mm SS BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	C8-175-430-150N
D3552-7	DOOR PROP	220/8.66	530/20.9	70/15.7	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-220-530-070N
D3552-9	DOOR PROP	200/7.87	490/19.3	200/45.0	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-200-490-200N
D3552-11	DOOR PROP	240/9.45	575/22.6	150/33.7	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-240-575-150N
D3552-13	DOOR PROP	220/8.66	530/20.9	140/31.5	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B6-220-530-140N
D3552-15	DOOR PROP W/EXTRA DAMPING	154/6.06	387/15.2	300/67.4	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-154-387-300NX
D3552-17	DOOR PROP W/EXTRA DAMPING	154/6.06	387/15.2	156/35.1	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-154-387-156NX
D3552-19	DOOR PROP W/EXTRA DAMPING	154/6.06	387/15.2	60/13.5	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-154-387-060NX
D3552-21	DOOR PROP	167/6.57	410/16.1	70/15.7	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B6-167-410-070N
D3552-23	DOOR PROP	190/7.48	475/18.7	70/15.7	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B6-190-475-070N
D3552-25	DOOR PROP W/EXTRA DAMPING	148/5.83	475/18.7	300/67.4	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-148-475-300NX
D3552-27	DOOR PROP W/EXTRA DAMPING	148/5.83	475/18.7	156/35.1	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-148-475-156NX
D3552-29	DOOR PROP	190/7.48	475/18.7	100/22.5	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B6-190-475-100N
D3552-101	CLIP	N/A	N/A	N/A	N/A	CARBON STEEL	LS TECHNOLOGIES	C9
D3552-103	BALL SOCKET END	N/A	N/A	N/A	N/A	NYLON	LS TECHNOLOGIES	B10

D3552-X DOOR PROP

RELEASED
2015-08-04

NOTES:

- 1) IDENTIFICATION: IDENTIFY PER QSI 044 6.2
- 2) D3552-101 CLIP IS ONLY COMPATIBLE WITH D3552-1/-3/-5 DOOR PROPS
- 3) D3552-103 BALL SOCKET END IS ONLY COMPATIBLE WITH D3552-7/-9/-11/-13/-15/-17/-19/-21/-23/-25/-27/-29 DOOR PROPS

APPROVED

DESIGN	VS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	VS		
CHECKED	AK	DRAWING NO.	REV. L
MFG. APPR.	DD	D3552	SHEET 2 OF 2
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	DOOR PROP	NTS
DATE	15.04.13	COPYRIGHT © 2006 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

LS Technologies Inc
314 Jessop Ave
Saskatoon, SK S7N 1Y6

Ph: 306-683-5000 Fax: 306-683-6403

Packing Slip

P.O. No.	Date	Invoice #
33391	8/24/2016	15305

Bill to:
Dart Aerospace Ltd 1270 Aberdeen St. Hawkesbury, ON K6A 1K7

Ship to:
Main Finished Goods Location Dart Aerospace Ltd 1270 Aberdeen St. Hawkesbury, ON K6A 1K7

Ship	Via	FOB
	Fed-Ex	

Qty	Description
4	D3552-21 B150056 Gas Spring
6	D3552-23 B150057 Gas Spring
Shipping Via FED EX Tracking # 777072312446	
8/25/16 SP	

Order checked by : 



LS Technologies Inc

314 Jessop Ave

Saskatoon, SK, S7N 1Y6

Ph: (306) 683-5000 Fax: (306) 683-6403

Certificate of Compliance

Aug 24, 2016

Certificate of Compliance

This is to certify that the parts listed below meets specifications as required by your order.

4 Units: D3552-21 B150056 Gas Spring

6 Units: D3552-23 B150057 Gas Spring

Country of Manufacture: Canada

Date of Manufacture : Aug 2016

This product is ROHS compliant.

Purchase Order # 33391

Invoice # 15305

L S Technologies Inc Canada

A handwritten signature in black ink, appearing to be 'Nolan Fehr', written over a horizontal line.

Nolan Fehr
Manager



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO33391**

Purchase Order Date 8/23/2016

PO Print Date 8/23/2016

Page Number 1 of 2

Order From :

VC-LST0001

Ship To : DART AEROSPACE LTD

LS TECHNOLOGIES INC.
314 JESSOP AVE
SASKATOON, SK S7N 1Y6
CA

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

AUG 23 2016
E-MAILED

Contact Name

Vendor Phone 306 683 5000

Buyer

Chantal Lavoie

Customer POID

Customer Tax # 10127-2607

Ship To Contact

Terms

Net 30

Ship To Phone

Currency

CAD

Ship Via:

FedEx Overnight collect

FOB

EXW - (Ex Works)

Ship Acct:

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	B6-167-410-070N AS PER DWG D3552-21 REV. L B150056	Gas Spring	8/26/2016 Yes 8/26/2016		4.00 Each	\$26.50	\$106.00
Line Total:							\$106.00
2	B6-190-475-070N AS PER DWG D3552-23 REV. L B150057	Door Prop	8/26/2016 Yes 8/26/2016		6.00 Each	\$32.50	\$195.00
Line Total:							\$195.00

PO Instructions: Fedex Acc#151793240

Note:

8/23/2016